

**References on the Clinical Management of Suicidality (and related sources)**

- Beck, A.T., Brown, G. K., Berchick, R. J., Stewart, B. L., & Steer, R. A. (1990). Relationship between hopelessness and ultimate suicide: A replication with psychiatric outpatients. *American Journal of Psychiatry*, *147*, 190-195.
- Beck, A. T., Brown, G. K., Steer, R. A., Dahlsgaard, K. K., & Grisham, J. R. (1999). Suicide ideation at its worst point: A predictor of eventual suicide in psychiatric outpatients. *Suicide and Life-Threatening Behavior*, *29*, 1-9.
- Beck, A. T., Kovacs, M., & Weissman, A. (1979). Assessment of suicidal intention: The Scale for Suicide Ideation. *Journal of Consulting and Clinical Psychology*, *47*, 343-352.
- Beck, A. T., Steer, R. A., Beck, J. S., & Newman, C. F. (1993). Hopelessness, depression, suicidal ideation, and clinical diagnosis of depression. *Suicide and Life-Threatening Behavior*, *23*, 139-145.
- Beck, A. T., Steer, R. A., & Brown, G. K. (1996). Manual for the Beck Depression Inventory-II. San Antonio, TX: Psychological Corporation.
- Beck, A. T., Steer, R. A., Kovacs, M., & Garrison, B. (1985). Hopelessness and eventual suicide: A 10-year prospective study of patients hospitalized with suicidal ideation. *American Journal of Psychiatry*, *142*, 559-563.
- Beck, A. T., Weissman, A., Lester, D., & Trexler, L. (1974). The measurement of pessimism: The Hopelessness Scale. *Journal of Consulting and Clinical Psychology*, *42*, 499-505.
- Berk, M. S., Henriques, G. R., Warman, D. M., Brown, G. K., & Beck, A. T. (2004). A cognitive therapy intervention for suicide attempts: An overview of the treatment and case examples. *Cognitive and Behavioral Practice*, *11*, 265-277.
- Bhar, S., & Brown, G. K. (2012). Treatment of depression and suicide in older adults. *Cognitive and Behavioral Practice*, *19*, 233-244.
- Bongar, B., Berman, A., Maris, R., Silverman, M., Harris, E., & Packman, W. (Eds.) (1998). *Risk management with suicidal patients*. New York: Guilford Press.
- Bostwick, J., Pabbati, C., Geske, J., & McKean, A. (2016). Suicide attempt as a risk factor for completed suicide: Even more lethal than we knew. *American Journal of Psychiatry*. (Published Online 8-13-2016).
- Brent, D. (2019). Master clinician review: Saving Holden Caulfield: Suicide prevention in children and adolescents. *Journal of the American Academy of Child and Adolescent Psychiatry*, *58*, 25-35.

## References on Suicide

- Brent, D. A., Greenhill, L. L., Compton, S., Emslie, G., Wells, K., Walkup, J.,...& Blake, T. J. (2009). The Treatment of Adolescent Suicide Attempts (TASA) study: Predictors of suicidal events in an open treatment trial. Journal of the American Academy of Child and Adolescent Psychiatry, 48, 987-996.
- Brent, D. A., & Mann, J. J. (2005). Family genetic studies, suicide, and suicidal behavior. American Journal of Medical Genetics Part C: Seminars in Medical Genetics, 133C, 13-24.
- Brown, G. K., Beck, A. T., Steer, R. A., & Grisham, J. R. (2000). Risk factors for suicide in psychiatric outpatients: A 20-year prospective study. Journal of Consulting and Clinical Psychology, 68, 371-377.
- Brown, G. K., Jeglic, E., Henriques, G. R., & Beck, A. T. (2006). Cognitive therapy, cognition, and suicidal behavior. In T. E. Ellis (Ed.), Cognition and suicide: Theory, research, and therapy (pp. 53-74). Washington, D.C.: American Psychological Association.
- Brown, G. K., Ten Have, T., Henriques, G. R., Xie, S. X., Hollander, J. D., & Beck, A. T. (2005). Cognitive therapy for the prevention of suicide attempts: A randomized controlled trial. Journal of the American Medical Association, 294, 563-570.
- Bryan, C. J. (Ed.) (2015). Cognitive behavioral therapy for preventing suicide attempts: A guide to brief treatments across clinical settings. New York: Routledge.
- Bryan, C. J., Rudd, M. D., Wertenberger, E., Etienne, N., Ray-Sannerud, B. N., Peterson, A. L., & Young-McCaughom, S. (2014). Improving the detection and prediction of suicidal behavior among military personnel by measuring suicidal beliefs: An evaluation of the Suicide Cognitions Scale. Journal of Affective Disorders, 159, 15-22.
- Comtois, K. A., Jobes, D. A., O'Connor, S. S., Atkins, D. A., Janus, K. I., Chessen, C. E., Landes, S. J., Holen, A., & Yuodelis-Flores, C. (2011). Collaborative Assessment and Management of Suicidality (CAMS): Feasibility trial for next day appointment services. Depression and Anxiety, 28, 963-972.
- Comtois, K. A., & Linehan, M. M. (2006). Psychosocial treatments of suicidal behaviors: A practice-friendly review. Journal of Clinical Psychology: In-Session, 62, 161-170.
- Dahlsgaard, K. K., Beck, A. T., & Brown, G. K. (1998). Inadequate response to therapy as a predictor of suicide. Suicide and Life-Threatening Behavior, 28, 197-204.
- Dattilio, F. M., & Freeman, A. (2000). Cognitive-behavioral strategies in crisis intervention (2<sup>nd</sup> ed.). New York: Guilford Press.
- Ellis, T. E. (Ed.) (2006). Cognition and suicide: Theory, research, & therapy. Washington, D.C.: American Psychological Association.

## References on Suicide

**Ellis, T. E., & Newman, C. F. (1996). Choosing to live: How to defeat suicide through cognitive therapy. Oakland, CA: New Harbinger.**

Ellis, T. E., & Rufino, K. A. (2015). A psychometric study of the Suicide Cognitions Scale with psychiatric inpatients. Psychological Assessment, 27, 82-89.

Ellis, T. E., Rufino, K. A., Allen, J. G., Fowler, J. C., & Jobes, D. A. (2015). Impact of a suicide-specific intervention within inpatient psychiatric care: The Collaborative Assessment and Management of Suicidality (CAMS). Suicide and Life-Threatening Behavior, 45, 556-566.

Esposito-Smythers, C., & Spirito, A. (2004). Adolescent substance use and suicidal behavior: A review with implications for treatment research. Alcoholism: Clinical and Experimental Research, 28, 77S-88S.

Flett, G. L., Hewitt, P. L., & Heisel, M. J. (2014). The destructiveness of perfectionism revisited: Implications for the assessment of suicide risk and the prevention of suicide. Review of General Psychology, 18, 156-172.

Ghahramanlou-Holloway, M., Bhar, S., Brown, G. K., Olsen, C., & Beck, A.T. (2012). Changes in problem-solving appraisal after cognitive therapy for the prevention of suicide. Psychological Medicine, 42, 1185-1193.

Ghahramanlou-Holloway, M., Cox, D., & Greene, F. (2012). Post-admission cognitive therapy: A brief intervention for psychiatric inpatients admitted after a suicide attempt. Cognitive and Behavioral Practice, 19, 116-125.

**Haig, M. (2015). Reasons to stay alive. Penguin Life.**

Hazel, N. A., Nowlin, P., & Reinecke, M. A. (2011). Cognitive behavioral therapy for suicidal behavior. In N. A. Hazel, P. Nowlin, & M. A. Reinecke (Eds.), Understanding and preventing college student suicide (pp. 223-235). Springfield, IL, US: Charles C. Thomas.

Henriques, G., Wenzel, A., Brown, G. K., & Beck, A. T. (2005). Suicide attempts' reaction to survival as a risk factor for eventual suicide. American Journal of Psychiatry, 162, 2180-2182.

Hewitt, P. L., Flett, G. L., & Weber, C. (1994). Perfectionism, hopelessness, and suicidal ideation. Cognitive Therapy and Research, 18, 439-468.

Jamison, K. R. (1999). Night falls fast: Understanding suicide. New York: Knopf.

Jarrett, R. B., Vittengl, J. R., Clark, L. A., & Thase, M. E. (2011). Skills of Cognitive Therapy (SoCT): A new measure of patients' comprehension and use. Psychological Assessment, 68, 578-586.

## References on Suicide

- Jobes, D. A. (2006). Managing suicidal risk: A collaborative approach. New York: Guilford.
- Joiner, T. E., & Rudd, M. D. (2000). Intensity and duration of suicidal crises vary as a function of previous suicide attempts and negative life events. Journal of Consulting and Clinical Psychology, 68, 909-916.
- Joiner, T. E., Van Orden, K. A., Witte, T. K., Selby, E. A., Ribeiro, J. D., Lewis, R., & Rudd, M. D. (2009). Main predictors of the interpersonal-psychological theory of suicidal behavior: Empirical tests in two samples of young adults. Journal of Abnormal Psychology, 188, 634-646.
- Kazantzis, N., Whittington, C., & Dattilio, F. (2010). Meta-analysis of homework effects in cognitive and behavioral therapy: A replication and extension. Clinical Psychology: Science and Practice, 17, 144-156.
- Kleepsies, P. M., & Dettmer, E. L. (2000). An evidence-based approach to evaluating and managing suicidal emergencies. Journal of Clinical Psychology, 56, 1109-1130.
- Linehan, M. M., Armstrong, H. E., Suarez, A., Allmon, D. & Heard, H. L. (1991). Cognitive-behavioral treatment of chronically parasuicidal borderline patients. Archives of General Psychiatry, 48, 1060-1064.
- Linehan, M. M., Comtois, K. A., Murray, A. M., Brown, M. Z., Gallop, R. J., Hedard, H. L., Korslund, K. E., Tutek, D. A., Reynolds, S. K., & Lindenboim, N. (2006). Two-year randomized controlled trial and follow-up of dialectical behavior therapy vs. therapy by experts for suicidal behavior and borderline personality disorder. Archives of General Psychiatry, 63, 757-766.
- Miller A. L., Rathus, J. H., & Linehan, M. M. (2007). Dialectical behavior therapy with suicidal adolescents. New York: Guilford.
- Miranda, R., Valderrama, J., Tsypes, A., Gadol, E., & Gallagher, M. (2013). Cognitive inflexibility and suicidal ideation: Mediating role of brooding and hopelessness. Psychiatry Research, 210, 174-181.
- Monti, K. M., Cedereke, M., & Ojehagen, A. (2003). Treatment attendance and suicidal behavior 1 month and 3 months after a suicide attempt: A comparison between two samples. Archives of Suicide Research, 7, 167-174.
- Motto, J. A., & Bostrom, A. G. (2001). A randomized controlled trial of post-crisis suicide intervention. Psychiatric Services, 52, 828-833.
- Newman, C. F. (2005). Reducing the risk of suicide in patients with bipolar disorder: Interventions and safeguards. Cognitive and Behavioral Practice, 12, 76-88.

## References on Suicide

- Newman, C. F. (2009). Cognitive therapy. In M.K. Nock (Ed.), Understanding non-suicidal self-injury: Current science and practice (pp. 201-219). Washington, D.C.: American Psychological Association.
- Newman, C. F. (2018). Cognitive-behavioral therapy for the reduction of suicide risk. In R.L. Leahy (Ed.), Science and practice in cognitive therapy: Foundations, mechanisms, and applications (pp. 233-252). New York: Guilford.
- Newman, C. F. (in press). Cognitive-behavioral therapy with suicidal athletes. In D. Marks and A. Wolanin (Eds.), Handbook of Clinical Sport Psychology. New York: Routledge.
- Nezu, A. M., Nezu, C. M., & D'Zurilla, T. (2013). Problem-solving therapy: A treatment manual. New York: Springer.
- Nock, M. (2009). Understanding non-suicidal self-injury: Origins, assessment, and treatment. Washington, D.C.: American Psychological Association.
- Paris, J. (2007). Half in love with death: Managing the chronically suicidal patient. Lawrence Erlbaum Associates: Mahwah, NJ.
- Peak, N. J., Overholser, J. C., Ridley, J., Braden, A., Fisher, L., Bixler, J., & Chandler, M. (2015). Too much to bear: Psychometric evidence supporting the Perceived Burdensomeness Scale. Psychiatry Research, 228, 554-550.
- Pennebaker, J. W. (Ed.) (1995). Emotion, disclosure, and health. Washington, D.C.: American Psychological Association.
- Posner, K., Brown, G. K., Stanley, B., Brent, D. A., Yershova, K. V., Oquendo, M. A., Currier, G. W., Melvin, G. A., Greenhill, L., Shen, S., & Mann, J. J. (2011). The Columbia-Suicide Severity Rating Scale: Initial validity and internal consistency findings from three multisite studies with adolescents and adults. American Journal of Psychiatry, 168, 1266-1277.
- Ramsay, J. R., & Newman, C. F. (2005). After the attempt: Repairing the therapeutic alliance following a serious suicide attempt by a patient. Suicide and Life-Threatening Behavior, 35, 413-424.
- Reinecke, M., & Ginsburg, G. (2008). Cognitive-behavioral treatment of depression during childhood and adolescence. In J.R.Z. Abela & B.L. Hankin (Eds.), Handbook of depression in children and adolescents (pp. 179-206). New York: Guilford.
- Rees, C. S., McEvoy, P., & Nathan, P. R. (2005). Relationship between homework completion and outcome in cognitive behaviour therapy. Cognitive Behaviour Therapy, 34, 242-247.
- Rudd, M. D., Bryan, C. J., Wertenberger, E. G., Peterson, A. L., Young-McCaughan, S., Mintz, J...Bruce, T. O. (2014). Brief cognitive-behavioral therapy effects on post-treatment

## References on Suicide

- suicide attempts in a military sample: Results of a randomized clinical trial with 2-year follow-up. *American Journal of Psychiatry*, <http://dx.doi.org/10.1176/appi.ajp.2014.14070843>
- Rudd, M. D., Mandrusiak, M., & Joiner, T. E. (2006). The case against no-suicide contracts: The commitment to treatment statement as a practice alternative. *Journal of Clinical Psychology*, *62*, 243-251.
- Salvatore, T. (2009). Suicide prevention for consumers and family members. Montgomery County Emergency Service, Inc., Norristown, PA, USA.**  
[www.mces.org/PDFs/suicidality.pdf](http://www.mces.org/PDFs/suicidality.pdf)
- Sareen, J., Isaak, C., Katz, L. Y., Bolton, J., Enns, M. W., et al. (2014). Promising strategies for advancement in knowledge of suicide risk factors and prevention. *American Journal of Preventive Medicine*, *47*, S257-S263.
- Simon, R. I. (2007). Gun safety management with patients at risk for suicide. *Suicide and Life-Threatening Behavior*, *37*, 518-526.
- Smith, J. M., Alloy, L. B., & Abramson, L. Y. (2006). Cognitive vulnerability to depression, rumination, hopelessness, and suicidal ideation: Multiple pathways to self-injurious thinking. *Suicide and Life-Threatening Behavior*, *36*, 443-454.
- Stanley, B., & Brown, G. K. (2012). Safety planning intervention: A brief intervention to mitigate suicide risk. *Cognitive and Behavioral Practice*, *19*, 256-264.
- Strosahl, K. D., & Chiles, J. A. (2006). Suicidal and self-destructive behavior. In Fisher, J. E., & O'Donohue, W. T. (Eds.), *Practitioner's guide to evidence-based psychotherapy* (pp. 706-717). New York: Springer Science + Business Media.
- Sudak, H. S. (2007). Encountering patient suicide: The role of survivors. *Academic Psychiatry*, *31*, 333-335.
- Sudak, H. S., & Sudak, D. M. (2005). The media and suicide. *Academic Psychiatry*, *29*, 495-499.
- Suicide Prevention Resource Center.**  
[www.sprc.org/settings/family-members-and-caregivers](http://www.sprc.org/settings/family-members-and-caregivers)
- Van Orden, K. A., Witte, T. K., Gordon, K. H., Bender, T. W., & Joiner, T. E. Jr. (2008). Suicidal desire and the capacity for suicide: A test of the interpersonal psychological theory in adults. *Journal of Consulting and Clinical Psychology*, *76*, 72-83.
- Wenzel, A., Brown, G. K., & Beck, A. T. (2009). *Cognitive therapy for suicidal patients: Scientific and clinical applications*. Washington, D.C.: American Psychological Association.

## References on Suicide

Weishaar, M. E. (1996). Cognitive risk factors in suicide. In P. M. Salkovskis (Ed.), Frontiers of cognitive therapy (pp. 226-249). New York: Guilford.

Young, M.A., Fogg, L.F., Scheftner, W., Fawcett, J., Akiskal, H., & Maser, J. (1996). Stable trait components of hopelessness: Baseline and sensitivity to depression. Journal of Abnormal Psychology, 105, 155-165.