

Patient:
Title: PAIN-Follow Up-
Provider:
Patient Name:
DOB:
Age:
Gender:
MHSC/PHIN:
HSC #:

Appointment Date:

Referred By:

Virtual Follow Up

Excellent response to lidocaine infusion.
Ongoing appropriate use of medication.

Procedure/Medication Trial

- None

Impression

None

Plan

- Med renewal for trip to Florida.
- Repeat lidocaine regularly.

Patient: **Appointment Date:**
Title: **Encounter Note With Header**
Provider: **Pain Clinic, Nurse** **Referred By:**
Patient Name:
DOB:
Age:
Gender:
MHSC/PHIN:
HSC #:

Patient and his escort arrived ambulatory at the clinic for 2nd Lidocaine infusion. Pt had 3 months of pain relief from previous infusion.

The consent has been signed and current Yes.

Last infusion, patient received Lidocaine 2% mg/ ml based on weight kg

Patient reports pain is in hands, arms, legs
VAS 9/10

Weight - 128kg

Lidocaine 2% 5mg/kg - [640]mg - 32 mls
Toradol - 30mg - 1ml
Magnesium - 2g - 10ml
Ketamine (10mg/ml) - 20mg -2ml
NS 500ml
Total volume - 540 mls
Checked with

PIV established at 1215 Size22 G 1in jelco IV in Right hand by

1220 - BP167/77 MAP107 HR 74 RR 18 O2 Sats 96% on RA NSR awake talking
1225 - Infusion started running infusion at 350mls/hr
1230 - BP155/78 MAP106 HR79 RR 18 O2 Sats 97 % on RA NSR resting
1245 - BP 208/95 MAP 130 HR 77 RR 18 O2 Sats 92% on RA NSR restless legs are bothersome
Slowed infusion to 100mls/hr
1300 - BP163/64 MAP 95 HR 75 RR 18 O2 Sats 95% on RA NSR Infusion increased 350mls/hr
1315 - BP153/64 MAP 90 HR 79 RR 18 O2 Sats 93% on RA NSR Sleeping
1330 - BP 164/79 MAP109 HR 77RR 18 O2 Sats 96% on RA NSR feet are very painful, rubbing them continuously
1345 - BP198/80 MAP 115 HR 87 RR 20 O2 Sats 97% on RA NSR very restless d/t to pain in feet
1400 - BP 176/46 MAP 82 HR 77 RR 20 O2Sats 95% on RA NSR laying on his side
1410 - INFusion complete

IV was removed
Patient left the clinic ambulatory with steady gait.

Signature

Plans:

Patient:
Title: PAIN-Follow Up-
Provider:
Patient Name:
DOB:
Age:
Gender:
MHSC/PHIN:
HSC #:

Appointment Date:

Referred By:

Virtual Follow Up

Lidocaine infusion helped with leg pain. Baseline pain is down now, metadol is helping.

Procedure/Medication Trial

- None

Impression

MS pain

Plan

- Repeat lidocaine every 3 months as able.
- Will call prior to leaving for winter, in december, for meds.

Patient:
Title: PAIN-Follow Up-
Provider:
Patient Name:
DOB:
Age:
Gender:
MHSC/PHIN:
HSC #:

Appointment Date:

Referred By:

Virtual Follow Up

Leg pain is worse of late.
No change in medication.

Interested in trial of lidocaine infusion.

Procedure/Medication Trial

- None

Impression

None

Plan

- Lidocaine.
-